



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/430,192	10/29/1999	MICHAEL B. RAYNHAM	10981963-1	6908

7590 02/15/2007
IP ADMINISTRATION
LEGAL DEPARTMENT 20BN
HEWLETT-PACKARD COMPANY
P O BOX 10301
PALO ALTO, CA 943030890

EXAMINER

MEONSKE, TONIA L

ART UNIT	PAPER NUMBER
----------	--------------

2181

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
3 MONTHS	02/15/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Office Action Summary

Application No.

09/430,192

Applicant(s)

RAYNHAM ET AL.

Examiner

Tonia L. Meonske

Art Unit

2181

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 27 November 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-10 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-10 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1, 2, 4, 6, 8, 9 and 10 rejected under 35 U.S.C. 102(b) as being clearly anticipated by Uming U-Ming Ko, European Patent Application 0 419 105 A2 (herein after "Ko").

3. Referring to claim 1, Ko has taught a subsystem controller (Figure 1) implemented as a single integrated circuit for control of a device or subsystem within an electronic system having system processing components, the subsystem controller comprising:

- a. a complex programmable logic device that can be programmed to provide logic circuits that implement control functionality (column 4, line 22, figure 1, element 38);
- b. a micro-controller that can execute software routines that implement control functionality (column 1, line 55-column 2, line 6, see column 2, lines 49-50, Figure 1, element 12);
- c. read-only memory that stores executable code for execution by the micro-controller (column 2, lines 51-54, Figure 1, element 14);

Art Unit: 2181

- d. random-access memory that can store data and executable code for execution by the micro-controller (column 2, line 55-column 3, line 3, Figure 1, element 16);
 - e. a bus interface for exchanging data and control signals between the subsystem controller and system processing components (abstract, Figure 1, column 3, line 53-column 4, line 4, column 4, lines 15-27, column 5, lines 2-11, column 9, lines 48-53, Figure 1, Any combination of at least elements 26, 34 and 28 is the claimed bus interface.); and
 - f. an additional electronic interface to a device (abstract, column 3, line 53-column 4, line 4, column 9, lines 48-53, At least element 28 is an interface to other integrated circuit chips. An integrated circuit chip is a device.) or subsystem controlled by the subsystem controller (This is alternative claim language not required to be present to read on the claim.).
4. Referring to claim 2, Ko has taught the subsystem controller of claim 1, as described above, and wherein control functionality of the subsystem controller is partitioned between logic circuits programmed into the complex programmable logic device (column 4, line 22, figure 1, element 38) and software routines executed by the micro-controller (column 1, line 55-column 2, line 6, Figure 1, element 12) (Hardware and software (instructions) are implemented in the controller.).
5. Referring to claim 4, Ko has taught the subsystem controller of claim 1, as described above, and wherein the bus interface is an inter-integrated circuit bus interface (abstract, Figure 1, column 3, line 53-column 4, line 4, column 4, lines 15-27,

Art Unit: 2181

column 5, lines 2-11, column 9, lines 48-53, Figure 1, Any combination of at least elements 26, 34 and 28 is the claimed bus interface.).

6. Referring to claim 6, Ko has taught a method for controlling a subsystem within a complex electrical device, the method comprising:

- a. providing a single-integrated-circuit subsystem controller (Figure 1);
- b. programming control functionality into the single-integrated-circuit subsystem controller by programming logic circuits into a complex programmable logic device included in the single-integrated-circuit subsystem controller (column 4, line 22, figure 1, element 38),
- c. implementing software routines for execution by a micro-controller within the single-integrated-circuit subsystem controller (column 2, lines 51-54, Figure 1, element 14), and
- d. storing the software routines in the single-integrated-circuit subsystem controller (column 2, line 55-column 3, line 3, Figure 1, element 16); and
- e. interconnecting the single-integrated-circuit subsystem controller to the subsystem within the complex electrical device (abstract, Figure 1, column 3, line 53-column 4, line 4, column 4, lines 15-27, column 5, lines 2-11, column 9, lines 48-53, Figure 1, Any combination of at least elements 26, 34 and 28 perform the claimed interconnecting at least one subsystem.).

7. Referring to claim 8, Ko has taught the method of claim 6, as described above, and wherein the complex electrical device is a computer system (abstract, The invention

Art Unit: 2181

of Ko is a system of integrated circuits that process information to produce results, which is a computer system.).

8. Referring to claim 9, Ko has taught the method of claim 6, as described above, and wherein the single-integrated-circuit subsystem controller includes the complex programmable logic device, the micro-controller, a read-only memory, a random access memory, a bus interface, and an additional electronic interface (Figure 1,abstract).

9. Referring to claim 10, Ko has taught the method of claim 9, as described above, and wherein interconnecting the single-integrated-circuit subsystem controller to the subsystem within the complex electrical device further includes interconnecting the subsystem with the additional electronic interface (abstract, column 3, line 53-column 4, line 4, At least element 28 interconnects the subsystem controller (Figure 1) to the subsystem. The subsystem is at least for example other integrated circuit chips.).

Claim Rejections - 35 USC § 103

10. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

11. Claims 3 and 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Uming U-Ming Ko, European Patent Application 0 419 105 A2 (herein after "Ko") in view of Alexander, US Patent 5,953,684 (herein after "Alexander").

12. Referring to claim 3, Ko has taught the subsystem controller of claim 1, as described above, Ko has not specifically taught that the subsystem controller is

Art Unit: 2181

programmed to control display of information on a liquid crystal display window included in an external front panel display of a server computer. However, Ko has taught that it is desirable to test the circuit states of the digital signal processor (abstract, column 5, lines 28-44). Ko has not specifically taught the details of the test equipment circuitry connected to the test pin that actually tests and controls the subsystem controller.

Alexander has taught test equipment that is used to acquire test data via a data path (Alexander, column 3, lines 43-45). The test equipment includes an liquid crystal display for displaying acquired test data and an input means (such as a keypad) for dynamically inputting data and parameters to configure and operate the test equipment based on the data output from the liquid crystal display (Alexander, column 3, lines 43-45, column 5, line 58-column 6, line 4). Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to have the subsystem controller be programmed to control display of information on an liquid crystal display window included in an external front panel display of a server computer, for the desirable purpose of allowing an end user to run dynamic tests on the system.

13. Referring to claim 7, Ko has taught the method of claim 6, as described above.

Ko has not specifically taught wherein the subsystem is an liquid crystal display window that displays information about the components within the complex electrical device and about the state of the complex electrical device. However, Ko has taught that it is desirable to test the circuit states of the digital signal processor (abstract, column 5, lines 28-44). Ko has not specifically taught the details of the test equipment circuitry connected to the test pin that actually tests and controls the subsystem controller.

Alexander has taught test equipment that is used to acquire test data via a data path (Alexander, column 3, lines 43-45). The test equipment includes an liquid crystal display for displaying acquired test data and an input means (such as a keypad) for dynamically inputting data and parameters to configure and operate the test equipment based on the data output from the liquid crystal display (Alexander, column 3, lines 43-45, column 5, line 58-column 6, line 4). Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to have the subsystem of Ko be an liquid crystal display display window that displays information about the components within the complex electrical device and about the state of the complex electrical device, as taught by Alexander, for the desirable purpose of allowing the user to run dynamic tests on the system.

14. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Uming U-Ming Ko, European Patent Application 0 419 105 A2 (herein after "Ko").

15. Referring to claim 5, Ko has taught the subsystem controller of claim 1, as described above. Ko has not specifically taught wherein the additional electronic interface is an 8-bit input/output bus and additional signal lines. However, Ko has taught that data is stored in the RAM in a 16-bit format (Ko, column 3, lines 35-45). Having the input/output interface be at least 16 bits would have allowed for the interface to easily output the system data to other devices such that the data read would only require one read step on the interface. Furthermore, it has been held that changing the size is not accorded patentable weight, see *In re Rose*, 220 F.2d 459, 463, 105 USPQ 237, 240 (CCPA 1955). Therefore it would have been obvious to one of ordinary skill in

Art Unit: 2181

the art at the time the invention was made to have the additional electronic interface of Ko, be any size bus, such as an 8-bit input/output bus and additional signal lines (a 16-bit bus is 8 bits and 8 additional signal bit lines), as it has been held that changing the size is not a patentable difference and that having the bus be a 16-bit bus would ease transferring data through the interface.

Response to Arguments

16. Applicant's arguments filed November 27, 2006 have been fully considered but they are not persuasive.

17. On page 5, Applicant argues in essence:

"The Examiner reads the claim 1 element "a micro-controller that can execute software routines that implement control functionality" onto both Ko's monolithic integrated circuit that is not the digital signal processor. This rejection makes no sense. For this reason alone the 35 USC 102(b) fails."

However, Applicant is directed to the rejection of claim 1 above. The claimed micro-controller relies on column 1, line 55-column 2, line 6, column 2, lines 49-50 and Figure 1, element 12 of Ko. Element 12 of Ko (see column 2, lines 49-50) is a digital signal processor, or the claimed micro-controller. Examiner has not read areas that are not the digital signal processor on the claimed micro-controller. Only element 12 is equivalent to and interpreted to be the claimed micro-controller. Therefore this argument is moot.

18. On page 6, Applicant argues in essence:

"A digital signal processor is not a subsystem controller, and is not capable of executing software routines that implement control functionality"

However, as an initial matter, the digital signal processor of Ko. Element 12, is not solely interpreted as a subsystem controller. Instead, all of Figure 1 is the claimed subsystem controller (Also see the rejection of claim 1 above.).

Furthermore, the digital signal processor of Ko, element 12, is capable of executing software routines that implement control functionality. Element 12 executes microprograms (or software routines), which are stored in ROM, to control and manipulate data (column 2, lines 51-54). Therefore, the digital signal processor of Ko, element 12, is capable of executing software routines that implement control functionality; that is element 12 can execute software routines, i.e. microprograms, that implement control functionality, i.e. control the manipulation of data. Therefore this argument is moot.

19. On page 7, Applicant argues with respect to claim 2 in essence:

"Ko does not teach or suggest partitioning any kind of controller functionality between the digital signal processor and the additional peripheral circuitry."

However, it appears that applicant is arguing (with respect to the claims) that controller functionality is partitioned, or divided, between the DSP and additional circuitry, however that is not what applicant has claimed. Instead claim 2 states "control functionality of the subsystem controller is partitioned between logic circuits programmed into the complex programmable logic device and software routines executed by the micro-controller", or to divide control functionality between programmed logic circuits and software. The claim divides control functionality between some logic (hardware) and software whereas the argument

divides control between the DSP (hardware) and other hardware circuitry. This does not make sense since the claim divides functionality between hardware and software and the argument divides functionality between hardware and hardware. Furthermore, Ko has in fact taught "control functionality of the subsystem controller is partitioned between logic circuits programmed into the complex programmable logic device (column 4, line 22, figure 1, element 38) and software routines executed by the micro-controller (figure 2, element 12, column 1, line 55-column 2, line 6, column 2, lines 49-50) (Where the overall system operations are at least controlled by the manner in which the PLA's are programmed and the microprograms.)". Therefore this argument is moot.

20. On page 8, Applicant argues in essence:

"In the rejection of claim 6, the Examiner states that ROM 14 within Ko's digital signal processor read on the language "implementing software routines for execution by a micro-controller within the single-IC subsystem controller," ROMS do not implement software. The ROM referred to by the examiner is a read-only memory that stores digital-signal-processing routines executed by the digital signal processor,"

However, the limitation "implement" is defined as "an article serving to equip". So the limitation in question is interpreted as "an article serving to equip, or prepare, software routines for execution by a micro-controller within the single-integrated-circuit subsystem controller". Software instructions in a microprogram and permanent data are stored in ROM, element 14, before they are executed (column 2, lines 51-54). The instructions are placed in the ROM for subsequent execution such that the ROM prepares the instructions for execution. So the ROM implements, or prepares, the software routines (microprograms) for

Art Unit: 2181

execution by the micro-controller (digital signal processor, element 12) within the single-integrated circuit subsystem controller (element 10), as in claim 6.

Therefore this argument is moot.

Conclusion

21. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

22. A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.


23. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tonia L. Meonske whose telephone number is (571) 272-4170. The examiner can normally be reached on Monday-Friday with first Friday's off.

24. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Donald Sparks can be reached on (571) 272-4201. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2181

25. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

TLM



DONALD SPARKS
SUPERVISORY PATENT EXAMINER